

IN THE SPECIFICATION:

Please delete the first sentence on page 1 and insert the following:

--RELATED APPLICATIONS

This application is a continuation of U.S. Patent Application Serial No. 08/708,945, filed September 6, 1996, now abandoned, which is a divisional of U.S. Patent Application Serial No. 08/410,357, filed March 24, 1995, now abandoned.--

SXL
9/29/03

IN THE CLAIMS:

Please cancel claims 12-16 and 23-43 without prejudice.

Please add new claims ²⁵⁻⁴¹ ~~44-60~~ as follows:

R1.126 1 ~~44.~~ ^{25.} (New) A computer system that resolves name collisions by providing
2 type support for multiple type definitions, comprising:
3 an interface repository including:
4 a repository naming context; and,
5 a prefix naming context subordinate to the repository naming
6 context, the prefix naming context serving as a root naming
7 context for at least one interface definition language
8 declaration, the prefix naming context being adapted to re-
9 solve names subordinate to the repository naming context.

R1.126 1 ~~45.~~ ^{26.} (New) The system of claim 44 wherein the prefix naming context
2 further includes:
3 at least one naming context defined by an interface definition object and
4 subordinate to the prefix naming context.

R1.126

1

27.

46.

(New) The computer system of claim 45 wherein at least one
interface definition object has a fully scoped object name including a prefix name
of the prefix naming context to which the interface definition object is
subordinated.

R1.126

1

28.

47.

(New) The computer system of claim 44 wherein the prefix naming
context is immediately subordinate to the repository naming context.

R1.126

1

29.

48.

(New) The computer system of claim 44 wherein the prefix naming
context further includes:

at least one leaf node defined by an interface definition object.

R1.126

1

30.

49.

(New) The computer system of claim 44, wherein the prefix naming
context is defined by a prefix object.

R1.126

1

31.

50.

(New) The computer system of claim 44, further comprising:
an interface repository loader that accepts as input parameters a specified
interface definition language file containing at least one interface
definition language declaration, and a specified prefix name, and
installs the at least one interface definition language declaration in
a prefix naming context having the prefix naming context in the
interface repository.

R1.126

1

32.

51.

(New) A computer system that resolves name collisions by providing
type support for multiple type definitions, comprising:
an interface repository including:
a repository naming context; and

5 a prefix naming context subordinate to the repository naming
6 context, the prefix naming context serving as a root naming
7 context for at least one interface definition language
8 declaration, the prefix naming context being adapted to re-
9 solve names subordinate to the repository naming context;
10 and

11 an interface repository loader that accepts as input parameters a specified
12 interface definition language file containing at least one interface
13 definition language declaration, and a specified prefix name, and
14 installs the at least one interface definition language declaration in
15 a prefix naming context having the prefix naming context in the
16 interface repository, and wherein the interface repository loader
17 creates a data file identified as related to the specified interface
18 definition language file, and containing an identification of the
19 specified prefix naming context.

20.126 33.

1 52. (New) A computer system that resolves name collisions by providing
2 type support for multiple type definitions, comprising:

3 an interface repository including:

4 a repository naming context; and

5 a prefix naming context subordinate to the repository naming
6 context, the prefix naming context serving as a root naming
7 context for at least one interface definition language
8 declaration, the prefix naming context being adapted to re-
9 solve names subordinate to the repository naming context;
10 and

11 an interface repository loader that accepts as input parameters a specified
12 interface definition language file containing at least one interface
13 definition language declaration, and a specified prefix name, and
14 installs the at least one interface definition language declaration in
15 a prefix naming context having the prefix naming context in the
16 interface repository, and wherein the interface repository loader
17 creates the specified prefix naming context in the interface
18 repository if the specified prefix naming context does not exist
19 therein.

A2
Cm.T
RI.126

34.

53. (New) The computer system of claim 52, further comprising:

2 a memory device that stores the interface repository; and
3 a processing unit that executes operations of the interface repository
4 loader.

35.

RI.126
54. (New) A computer system that resolves name collisions by providing

2 type support for multiple type definitions, comprising:

3 an interface repository including:

4 a repository naming context; and

5 a prefix naming context subordinate to the repository naming

6 context, the prefix naming context serving as a root naming

7 context for at least one interface definition language

8 declaration, the prefix naming context being adapted to re-

9 solve names subordinate to the repository naming context;

10 an interface repository loader that accepts as input parameters a specified

11 interface definition language file containing at least one interface

12 definition language declaration, and a specified prefix name, and

13 installs the at least one interface definition language declaration in
14 a prefix naming context having the prefix naming context in the
15 interface repository;
16 a memory device that stores the interface repository; and
17 a processing unit that executes operations of the interface repository
18 loader, and further executes the interface repository loader to
19 create a data file identified as related to the specified interface
20 definition language file, and containing an identification of the
21 specified prefix naming context.

R1.126 36:

A2
Cm. +
1 35. (New). A method of resolving name collisions by providing type
2 support for multiple type definitions, comprising the steps of:
3 defining in an interface repository a prefix naming context, the prefix
4 naming context being adapted to resolve names subordinate to the
5 repository naming context; and
6 storing the prefix naming context subordinate to the repository naming
7 context in the interface repository, the prefix naming context
8 forming an interface definition language root context for interface
9 definition objects subordinate to the prefix naming context.

R1.126

1 37.
2 56. (New) The method of claim 55, wherein each prefix naming context is
3 stored immediately subordinate to the repository naming context.

R1.126 38:

1 57. (New) The method of claim 55 further comprising the steps of:
2 specifying an interface definition language file containing at least one
3 interface definition language declaration;
4 specifying a prefix naming context; and

5 storing each interface definition language declaration in the specified
6 interface definition language file into the specified prefix naming
7 context.

1 ^{R1.126 39.} 58. (New) The method of claim 57, wherein the step of storing each
2 interface definition language declaration further comprises the steps of:
3 creating an interface definition object for the interface definition language
4 declaration;
5 storing the interface definition object in the specified prefix naming
6 context; and
7 providing the interface definition object with a fully scoped object name
8 including a prefix name from the prefix naming context in which
9 the interface definition object is stored.

1 ^{R1.126 40.} 59. (New) A method of resolving name collisions by providing type
2 support for multiple type definitions, comprising the steps of:
3 defining in an interface repository a prefix naming context, the prefix
4 naming context being adapted to resolve names subordinate to a
5 repository naming context;
6 storing the prefix naming context subordinate to the repository naming
7 context in the interface repository, the prefix naming context
8 forming an interface definition language root context for interface
9 definition objects subordinate to the prefix naming context;
10 specifying an interface definition language file containing at least one
11 interface definition language declaration;
12 specifying a prefix naming context;

13 storing each interface definition language declaration in the specified
14 interface definition language file into the specified prefix naming
15 context; and
16 creating a data file identified as related to the specified interface definition
17 language file, and containing an identification of the specified
18 prefix naming context.

As
could. 1 R1.126 4/1 60. (New) A method of resolving name collisions by providing type
2 support for multiple type definitions, comprising the step of:
3 providing an interface repository including:
4 a repository naming context; and
5 a prefix naming context subordinate to the repository naming
6 context, the prefix naming context serving as a root naming
7 context for at least one interface definition language
8 declaration, the prefix naming context being adapted to re-
9 solve names subordinate to the repository naming context.